



Specifications	
Description	M10 100MM Screw and Washer With 14mm Nylon Plug
Nylon Plug Size	14mm x 100mm
Screw Length	100mm
Drill Bit	14mm
Socket	17mm
Material	Zinc Plated Steel with Plastic Plug
Application	Fixings For Surface Mount Bollards, Speed Humps Surface Mount Bike Hoops

SKU	Fix Kit Qty
FIXK100	1pc
FIXKIT2	2pcs
SHUMPFIX **	2pcs
FIXKIT3 **	3pcs
FIXKIT4 **	4pcs
FIXKIT6 **	6pcs

** FREE only with speed hump, surface mount bollard, or surface mount bike hoop purchase.
Can be purchased separately



Specifications	
Description	M10 150MM Screw and Washer With 14mm Nylon Plug
Nylon Plug Size	14mm x 150mm
Screw Length	150mm
Drill Bit	14mm
Socket	17mm
Material	Zinc Plated Steel with Plastic Plug
Application	Concrete Fixings For Wheel Stops

SKU	Fix Kit Qty
WSFIX	1pc
WSTOPFIX2	2pcs
WSTOPFIX3	3pcs
WSTOPFK4 **	4pcs

** FREE only with truck wheelstop purchase.
Can be purchased separately



Specifications	
Description	M8 8MM Hex Bit 50MM
Overall Length	50mm
Size	8mm
Application	EZY handrail assembly Or use to drive Countersunk Concrete Screw Anchor M10 x 100MM

SKU	Fix Kit Qty
EZYHEXBIT	1pc



Specifications	
Description	Asphalt / Gravel Spike
Screw Length	300mm
Installation	Sledge Hammer
Diametre	12mm
Installation	Sledge Hammer
Material	Galvanised Steel
Application	Asphalt / Gravel Fixings For Wheel Stops

SKU	Fix Kit Qty
ROADSPIKE	1pc
WSKIT2SPIKE	2pcs
WSKIT3SPIKE	3pcs
WSKIT4SPIKE	4pcs



Specifications	
Description	Asphalt Anchor Screw M12 300MM
Screw Length	300mm
Installation	Rattle Gun
Socket	19mm
Material	Zinc Plated Steel
Application	Asphalt / Gravel Fixings For Wheel Stops

SKU	Fix Kit Qty
AAS300	1pc
AAS300KIT2	2pcs
AAS300KIT3	3pcs
AAS300KIT4	4pcs



Specifications	
Description	Countersunk Concrete Screw Anchor M10 x 100MM
Screw Length	100mm
Drill Bit	M8 (hex bit) M10 (Masonry Drill Bit)
Material	Galvanised Steel
Application	Countersunk Fixings For Slider Type Bollards

SKU	Qty
CSAM10100COUNT	1pc
CSAM10100COUNTFK **	4pcs

** FREE with slider type bollard purchase.
Can be purchased separately





Specifications	
Description	Concrete Screw Anchor M10 x 60MM
Screw Length	60mm
Drill Bit	10mm
Socket	15mm
Material	Galvanised Steel
Application	Concrete Fixings For Surface Mount Bollards, Speed Humps, Convex Mirrors

SKU	Fix Kit Qty
CSAM1060	1pc
CSAM1060FK2	2pcs
CSAM1060FK3	3pcs
CSAM1060FK4	4pcs
CSAM1060FK6	6pcs



Specifications	
Description	Concrete Screw Anchor M10 x 100MM
Screw Length	100mm
Drill Bit	10mm
Socket	17mm
Material	Galvanised Steel
Application	Concrete Fixings For Surface Mount Bollards, Speed Humps, Convex Mirror

SKU	Fix Kit Qty
CSAM10100	1pc
CSAM10100FK2	2pcs
CSAM10100FK3	3pcs
CSAM10100FK4	4pcs
CSAM10100FK6	6pcs



Specifications	
Description	Concrete Screw Anchor M10 x 150MM
Screw Length	150mm
Drill Bit	10mm
Socket	17mm
Material	Galvanised Steel
Application	Concrete Fixings For Surface Mount Bollards, Speed Humps, Convex Mirror, Wheel Stops

SKU	Fix Kit Qty
CSAM10150	1pc
CSAM10150FK2	2pcs
CSAM10150FK3	3pcs



Specifications	
Description	Concrete Screw Anchor M12 x 180MM
Screw Length	180mm
Drill Bit	12mm
Socket	19mm
Material	Galvanised Steel
Application	Concrete Fixings For Wheel Stops

SKU	Fix Kit Qty
CSAM12180	1pc
CSAM12180FK4	4pcs
WSTOPTFIXK4***	4pcs

*** FREE with truck wheel stop purchase.



Specifications	
Description	Concrete Screw Anchor M8 x 70MM
Screw Length	70mm
Drill Bit	10mm
Socket	17mm
Material	Stainless Steel
Application	Concrete Fixings For Surface Mount Bike Hoops

SKU	Fix Kit Qty
CSASSM875	1pc
CSASSM875FK6	6pcs



Specifications	
Description	Concrete Screw Anchor M10 x 100MM
Screw Length	100mm
Drill Bit	10mm
Socket	17mm
Material	Stainless Steel
Application	Concrete Fixings For Surface Mount Bike Hoops

SKU	Fix Kit Qty
CSASSM10100	1pc

Specifications	
SKU	SDS7
Description	7mm SDS Masonry Drill Bit 75/150MM
Screw Length	150mm (75mm in-ground)
Diameter	7mm
Material	Zinc Plated Steel
Application	Use SDS7 to install single tactile stud STUDSSCO



BOSCH SDS Masonry Drill Bits

Exceptional drilling performance in concrete or solid surfaces.
Refer to below table for range sizes / suitable applications



Specifications	
SKU	BSDS6
Description	Bosch 6mm SDS Masonry Drill Bit 100/160MM
Screw Length	160mm (100mm in-ground)
Diameter	6mm
Material	Zinc Plated Steel
Application	Use BSDS6 to install Ultimate Tactiles - use BSDS6 to drill hole into surface, put the plug in then affix with adhesive and screws



Specifications	
SKU	BSDS8
Description	Bosch 6mm SDS Masonry Drill Bit 100/160MM
Screw Length	160mm (100mm in-ground)
Diameter	8mm
Material	Zinc Plated Steel
Application	Use BSDS8 to install Single Tactile Studs, Wall Mount Bike Racks, Wall Bracket for Convex Mirrors - use 8mm Sleeve Anchor install onto solid walls



Specifications	
SKU	BSDS10
Description	Bosch 6mm SDS Masonry Drill Bit 150/210MM
Screw Length	210mm (150mm in-ground)
Diameter	10mm
Material	Zinc Plated Steel
Application	Use BSDS10 to install Surface Mount Bollards, Wheel Stops, EZY rail modular handrail systems, Trolley Bays, Surface Mount Bike Hoops, Boom Gate, Sleeves for Surface Mount Sign Holders. (M10 Concrete Screw Anchors 60mm, 100mm or 150mm) We also use this size drill bit to drill pilot holes for installing Wheel Stops onto Asphalt (WSKIT3SPIKE)



Specifications	
SKU	BSDS12
Description	Bosch 12mm SDS Masonry Drill Bit 150/210MM
Screw Length	210mm (150mm in-ground)
Diameter	12mm
Material	Zinc Plated Steel
Application	Use BSDS12 to install Surface Mount Bollards, Wheel Stops, EZY rail modular handrail systems, Trolley Bays, Surface Mount Bike Hoops, Boom Gate, Sleeves for Surface Mount Sign Holders. (M12 Concrete Screw Anchors 180mm, 300mm)



Specifications	
SKU	BSDS14
Description	Bosch 12mm SDS Masonry Drill Bit 150/210MM
Screw Length	210mm (150mm in-ground)
Diameter	12mm
Material	Zinc Plated Steel
Application	Use BSDS14 to install Surface Mount Bollards, standard fixing kit M10 Coach Screw 100mm into asphalt with plug and screws



Specifications	
SKU	BSDS16
Description	Bosch 12mm SDS Masonry Drill Bit 150/210MM
Screw Length	210mm (150mm in-ground)
Diameter	16mm
Material	Zinc Plated Steel